

Safety Data Sheet

SUPER-DRY ULTRA



Safety Data Sheet dated 23/7/2021, version 4.0

This version cancels and substitutes any previous version

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: SUPER-DRY ULTRA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Anti-moisture for AC/R systems

1.3. Details of the supplier of the safety data sheet

Company:

ERRECOM SPA

Via Industriale, 14

Corzano (BS) Italy

Tel. +39 030/9719096

Competent person responsible for the safety data sheet:

lab@errecom.it


1.4. Emergency telephone number

+39 02-6610-1029 Poison Control Center Niguarda Ca' Granda - Milano - ITALY


SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

 Warning, Skin Sens. 1, May cause an allergic skin reaction.

 Warning, Muta. 2, Suspected of causing genetic defects.

 Aquatic Chronic 2, Toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Special Provisions:

None

Contains

2,3-epoxypropyl neodecanoate

Safety Data Sheet

SUPER-DRY ULTRA



Special provisions according to Annex XVII of REACH and subsequent amendments:
None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$

Other Hazards:

No other hazards




SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
$\geq 25\%$ - $< 30\%$	2,3-epoxypropyl neodecanoate	CAS: 26761-45-5 EC: 247-979-2 REACH No.: 01-21194315 97-33-XXXX	 3.4.2/1 Skin Sens. 1 H317  3.5/2 Muta. 2 H341  4.1/C2 Aquatic Chronic 2 H411

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash contaminated clothing before using them.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water spray jet, alcohol resistant foam, extinguishing powder, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

High pressure water jet.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

- Burning produces heavy smoke.
- 5.3. Advice for firefighters
Use suitable breathing apparatus.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
Wear personal protection equipment.
Remove persons to safety.
See protective measures under point 7 and 8.
- 6.2. Environmental precautions
Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
Retain contaminated washing water and dispose it.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
Wash with plenty of water.
- 6.4. Reference to other sections
See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
Avoid contact with skin and eyes, inhalation of vapours and mists.
Don't use empty container before they have been cleaned.
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
Advice on general occupational hygiene:
Contaminated clothing should be changed before entering eating areas.
Do not eat or drink while working.
See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities
Keep container tightly closed. To maintain product quality, do not store in heat or direct sunlight. Keep in a dry, cool and well-ventilated place.
Store between + 10 ° C / + 50 ° F and + 25 ° C / + 77 ° F.
Keep away from food, drink and feed.
Incompatible materials:
See subsection 10.5
Instructions as regards storage premises:
Cool and adequately ventilated.
- 7.3. Specific end use(s)
Information not available.

SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters
No occupational exposure limit available
DNEL Exposure Limit Values
2,3-epoxypropyl neodecanoate - CAS: 26761-45-5
Worker Professional: 1.4 mg/kg - Consumer: 0.7 mg/kg - Exposure: Human Dermal -
Frequency: Long Term, systemic effects
Worker Professional: 1.965 mg/m³ - Consumer: 1 mg/m³ - Exposure: Human Inhalation
- Frequency: Long Term, systemic effects

Safety Data Sheet

SUPER-DRY ULTRA



Consumer: 1.1 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

2,3-epoxypropyl neodecanoate - CAS: 26761-45-5

Target: Fresh Water - Value: 0.0035 mg/l

Target: Marine water - Value: 0.35 µg/l

Target: Microorganisms in sewage treatments - Value: 50 mg/l

Target: Occasional emission - Value: 0.035 mg/l

8.2. Exposure controls

Eye protection:

Protective airtight goggles (ref. Standard EN 166).

Protection for skin:

Overall.

Protection for hands:

work gloves resistant to penetration (ref. standard EN 374).

Suitable material:

NBR (nitrile rubber).

Butyl caoutchouc (butyl rubber).

Material thickness: 0.4 mm minimum.

Break through time : > 480 min

Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Respiratory protection:

Not necessary for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid	--	--
Colour:	Light yellow	--	--
Odour:	characteristic	--	--
Melting point/freezing point:	N.A.	--	--
Boiling point or initial boiling point and boiling range:	N.A.	--	--
Flammability:	N.A.	--	--
Lower and upper explosion limit:	N.A.	--	--
Flash point:	>61 ° C	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
pH:	N.A.	--	--
Kinematic viscosity:	N.A.	--	--
Solubility in water:	N.A.	--	--
Solubility in oil:	total	--	--

Safety Data Sheet

SUPER-DRY ULTRA



Partition coefficient n-octanol/water (log value):	N.A.	--	--
Vapour pressure:	N.A.	--	--
Density and/or relative density:	0.9 g/mL (+20°C/+68°F)	--	--
Relative vapour density:	N.A.	--	--
Particle characteristics:			
Particle size:	N.A.	--	--

9.2. Other information
No other relevant information

SECTION 10: Stability and reactivity

- 10.1. Reactivity
Stable under normal conditions
- 10.2. Chemical stability
Stable under normal conditions
- 10.3. Possibility of hazardous reactions
None
- 10.4. Conditions to avoid
Avoid extreme heat and high-energy ignition sources.
- 10.5. Incompatible materials
Strong oxidizing agents.
- 10.6. Hazardous decomposition products
When heated or in the event of fire may release gases and vapors potentially dangerous to health.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

- a) acute toxicity
Not classified
Based on available data, the classification criteria are not met
- b) skin corrosion/irritation
Not classified
Based on available data, the classification criteria are not met
- c) serious eye damage/irritation
Not classified
Based on available data, the classification criteria are not met
- d) respiratory or skin sensitisation
The product is classified: Skin Sens. 1 H317
- e) germ cell mutagenicity
The product is classified: Muta. 2 H341
- f) carcinogenicity
Not classified
Based on available data, the classification criteria are not met
- g) reproductive toxicity
Not classified
Based on available data, the classification criteria are not met
- h) STOT-single exposure
Not classified
Based on available data, the classification criteria are not met

- i) STOT-repeated exposure
 - Not classified
 - Based on available data, the classification criteria are not met
 - j) aspiration hazard
 - Not classified
 - Based on available data, the classification criteria are not met
- Toxicological information of the main substances found in the product:
2,3-epoxypropyl neodecanoate - CAS: 26761-45-5
- a) acute toxicity:
 - Test: LD50 - Route: Oral - Species: Rat > 9700 mg/kg
 - Test: LC50 - Route: Inhalation - Species: Rat > 240 mg/m³ - Duration: 4h
 - Test: LD50 - Route: Skin - Species: Rat > 3800 mg/kg
 - d) respiratory or skin sensitisation:
 - Test: Skin Sensitization - Route: Skin - Species: Guinea pig Positive
- 11.2. Information on other hazards
Endocrine disrupting properties:
No endocrine disruptor substances present in concentration $\geq 0.1\%$

SECTION 12: Ecological information

- 12.1. Toxicity
 - Adopt good working practices, so that the product is not released into the environment.
 - The product is classified: Aquatic Chronic 2 - H411
- 2,3-epoxypropyl neodecanoate
 - a) Aquatic acute toxicity:
 - Endpoint: LC50 - Species: Fish 9.6 mg/l - Duration h: 96
 - Endpoint: EC50 - Species: Daphnia 4.8 mg/l - Duration h: 48
 - Endpoint: EC50 - Species: Algae 3.5 mg/l - Duration h: 96
- 12.2. Persistence and degradability
 - 2,3-epoxypropyl neodecanoate - CAS: 26761-45-5
 - Biodegradability: Readily biodegradable - Test: OSCE 302 A - Duration: 22 - 36 d - %: 68 - Notes: +/-5%
- 12.3. Bioaccumulative potential
 - 2,3-epoxypropyl neodecanoate - CAS: 26761-45-5
 - Bioaccumulation: Very low bioaccumulative - Test: log Pow 2.6
- 12.4. Mobility in soil
 - N.A.
- 12.5. Results of PBT and vPvB assessment
 - vPvB Substances: None - PBT Substances: None
- 12.6. Endocrine disrupting properties
 - No endocrine disruptor substances present in concentration $\geq 0.1\%$
- 12.7. Other adverse effects
 - None

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods
 - Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

Safety Data Sheet

SUPER-DRY ULTRA



- 14.1. UN number or ID number
ADR-UN Number: 3082
IATA-UN Number: 3082
IMDG-UN Number: 3082
- 14.2. UN proper shipping name
ADR-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,3-epoxypropyl neodecanoate)
IATA-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,3-epoxypropyl neodecanoate)
IMDG-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,3-epoxypropyl neodecanoate)
- 14.3. Transport hazard class(es)
ADR-Class: 9
ADR - Hazard identification number: 90
IATA-Class: 9
IATA-Label: 9
IMDG-Class: 9
- 14.4. Packing group
ADR-Packing Group: III
IATA-Packing group: III
IMDG-Packing group: III
- 14.5. Environmental hazards
ADR-Environmental Pollutant: Yes
IMDG-Marine pollutant: Marine Pollutant
Most important toxic component: 2,3-epoxypropyl neodecanoate

IMDG-EmS:	F-A	,	S-F
-----------	-----	---	-----
- 14.6. Special precautions for user
ADR-Subsidiary hazards: -
ADR-S.P.: 274 335 375 601
ADR-Transport category (Tunnel restriction code): 3 (-)
IATA-Passenger Aircraft: 964
IATA-Subsidiary hazards: -
IATA-Cargo Aircraft: 964
IATA-S.P.: A97 A158 A197
IATA-ERG: 9L
IMDG-Subsidiary hazards: -
IMDG-Stowage and handling: Category A
IMDG-Segregation: -
- 14.7. Maritime transport in bulk according to IMO instruments
N.A.

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Safety Data Sheet

SUPER-DRY ULTRA



Regulation (EU) n. 2020/878
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2017/776 (ATP 10 CLP)
Regulation (EU) n. 2018/669 (ATP 11 CLP)
Regulation (EU) n. 2018/1480 (ATP 13 CLP)
Regulation (EU) n. 2019/521 (ATP 12 CLP)
Regulation (EU) n. 2020/217 (ATP 14 CLP)
Regulation (EU) n. 2020/1182 (ATP 15 CLP)
Regulation (EU) n. 2021/643 (ATP 16 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

No restriction.

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

Product belongs to category: E2

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H411 Toxic to aquatic life with long lasting effects.

Hazard class and hazard category	Code	Description
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Muta. 2	3.5/2	Germ cell mutagenicity, Category 2
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Sens. 1, H317	Calculation method

Safety Data Sheet

SUPER-DRY ULTRA



Muta. 2, H341	Calculation method
Aquatic Chronic 2, H411	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.